Assignment #6 CIS 427/527

Group 2

March 2, 2016

1

Prove the following using resolution:

(a)
$$(A \to B) \land (B \to C) \land \neg (A \to C) \models \bot$$

- (1) Convert to CNF: $\{\{\neg A, B\}, \{\neg B, C\}, \{A\}, \{\neg C\}\}$
- (2) Perform resolution:

$$\begin{array}{c|cccc}
\hline \{\neg A, B\} & \{A\} \\
\hline \underline{\{B\}} & \{\neg B, C\} \\
\hline \underline{\{C\}} & \{\neg C\}
\end{array}$$

(b)
$$(A \lor B \lor C) \land (\neg B \lor D) \land (\neg A \lor D) \land (\neg C \lor D) \models D$$

- (1) Convert to CNF: $\{\{A, B, C\}, \{\neg B, D\}, \{\neg A, D\}, \{\neg C, D\}, \{\neg D\}\}$
- (2) Perform resolution:

(c)
$$A \rightarrow B, B \rightarrow C, D \rightarrow C, C \lor D \models \neg A \lor C$$

- (1) Convert to CNF: $\{\{\neg A, B\}, \{\neg B, C\}, \{\neg D, C\}, \{C, D\}, \{A\}, \{\neg C\}\}\}$
- (2) Perform resolution:

$$\frac{\{\neg D, C\} \qquad \{C, D\}}{\{C\}} \qquad \{\neg C\}$$

2

Which of the following sets are inconsistent?

(a)
$$\{\{p1, p2, p3\}, \{p1, \neg p3\}, \{\neg p1, \neg p2\}\}$$

(b)
$$\{\{p1, \neg p2, p3\}, \{p1, \neg p3\}, \{p1, p2\}\}$$

Solution

Neither set is inconsistent – the first can be satisfied by having both p1 and $\neg p2$ be true (since a logic is consistent iff it is satisfiable), and the second can be satisfied by simply having p1 be true.

For each of the following set of clauses S, write down the Herbrand domain H, the Herbrand base HB, and two interpretations, one that satisfies S and one that does not.

(a)
$$S = \{\{A(x), \neg B(y, x)\}, \{\neg A(y), C(c)\}\}$$

$$H = \{a\}$$

$$HB = \{A(a), B(a, a), C(a)\}$$

$$T : \{A(a), C(a)\}$$

$$F : \{A(a)\}$$

(b)
$$S = \{\{A(f(x)), \neg B(y, x)\}, \{\neg A(c), C(x)\}\}$$

$$\begin{split} H &= \{a, f(a), f(f(a)), \ldots\} \\ HB &= \{A(a), B(a, a), C(a), A(f(a)), B(f(a), f(a)), C(f(a)), \ldots\} \\ T &: \{A(a), C(a)\} \\ F &: \{A(a)\} \end{split}$$

6

Show, using Herbrand interpretations, that the following set of clauses is unsatisfiable.

Solution

(a)
$$S = \{\{A(x), \neg B(x, a)\}, \{A(a), B(y, a)\}, \{\neg A(y)\}\}$$

$$H = \{a\}$$

$$HB = \{A(a), B(a, a)\}$$

Since all the interpretations are $\{A(a), B(a, a)\}, \{A(a)\}, \{B(a, a)\}, \text{ or } \emptyset, S \text{ is not satisfiable.}$

(b)
$$S = \{\{A(x)\}, \{\neg A(x), B(f(x))\}, \{\neg B(f(a))\}\}$$

$$H = \{a, f(a), f(f(a)), \dots\}$$

$$HB = \{A(a), B(a), A(f(a)), B(f(a), f(a)), \dots\}$$

Since all the interpretations are $\{A(a), B(a)\}, \{A(a)\}, \{B(a)\}, \text{ or } \emptyset, S \text{ is not satisfiable.}$

(c)
$$S = \{\{A(x)\}, \{\neg A(y)\}\}$$

$$H = \{a\}$$

$$HB = \{A(a)\}$$

Since all the interpretations are $\{A(a)\}\$ or \emptyset , S is not satisfiable.