

Assignment #1

CIS 427/527

Group 2

January 18, 2016

1

There are three suspects for a murder: Adams, Brown, and Clark. Adams says: I didnt do it. The victim was an old acquaintance of Browns. But Clark hated him. Brown states I didnt do it. I didnt even know the guy. Besides I was out of town all that week. Clark says I didnt do it. I saw both Adams and Brown downtown with the victim that day; one of them must have done it. Assume that the two innocent men are telling the truth, but that the guilty man might not be. Who did it?

Solution

Since two of the men are telling the truth, we have a proposition of the form $P = (A \wedge B) \vee (A \wedge C) \vee (B \wedge C)$.

- If Adams is telling the truth, then Brown is lying ($A \implies \neg B$).
- If Brown is telling the truth, then both Adams and Clark are lying ($B \implies (\neg A \wedge \neg C)$).
- If Clark is telling the truth, then Brown is lying ($C \implies \neg B$).

If Brown were telling the truth, then P could never be satisfied, therefore Brown is lying, which makes him the killer.

2

2. Show that $((\rightarrow) \notin PROP$


Suppose $((\rightarrow) \in X$ and X satisfies (i), (ii), (iii) of Definition 2.1.2. We claim that $Y = X \setminus \{((\rightarrow)\}$ also satisfies (i), (ii), and (iii).

- (i) $\perp, p_i \in Y$,
- (ii) $\varphi, \psi \in Y$ and $(\varphi \Box \psi) \neq ((\rightarrow)$, it is clear that $(\varphi \Box \psi) \in Y$
- (iii)


Therefore X is not the smallest set satisfying (i), (ii), and (iii), so $((\rightarrow)$ cannot belong to $PROP$.

7. (a) Determine the trees of the proposition in Exercise 1


$$(\neg p_2 \rightarrow (p_3 \vee (p_1 \leftrightarrow p_2))) \wedge \neg p_3$$



$$(p_7 \rightarrow \neg \perp) \leftrightarrow ((p_4 \wedge \neg p_2) \rightarrow p_1$$



$$(((p_1 \rightarrow p_2) \rightarrow p_1) \rightarrow p_2 \rightarrow p_1$$



(b) Determine the propositions with the trees given

$$\neg\neg\neg\perp$$

$$(p_0 \rightarrow \perp) \rightarrow ((p_0 \leftrightarrow p_1) \wedge p_5)$$

$$\neg((\neg p_1) \rightarrow (\neg p_1))$$

9. Show that a proposition with n connectives has at most $2n + 1$ subformulas

3

(a)

$(\neg\varphi \vee \psi) \iff (\psi \rightarrow \varphi)$	φ	ψ	
1	0	0	Not a tautology.
0	0	1	
1	1	0	
1	1	1	

(f)

$(\varphi \vee \neg\varphi)$	φ	
1	0	Is a tautology.
1	1	

(h)

$(\perp \rightarrow \varphi)$	φ	
1	0	Is a tautology.
1	1	

4

(a) $\varphi \models \varphi$

(b) $\varphi \models \psi$ and $\psi \models \sigma \implies \varphi \models \sigma$

(c) $\models \varphi \rightarrow \psi \iff \varphi \models \psi$

5

6

7

8

9