

vmspawnd — Enterprise VM Management Platform

The Problem

Organizations running Linux infrastructure need a unified way to manage virtual machines. Existing solutions are either:

- **Too heavy** — VMware vSphere, Proxmox, and OpenStack require complex multi-server deployments, dedicated storage infrastructure, and specialized operations teams
- **Too basic** — Manual QEMU/KVM management with shell scripts doesn't scale and lacks security, monitoring, or multi-user access
- **Too locked-in** — Cloud-only solutions (AWS, Azure, GCP) create vendor dependency with unpredictable costs

vmspawnd fills the gap — a single-binary VM management platform that runs on any Linux server with systemd, providing enterprise features without enterprise complexity.

What Is vmspawnd?

vmspawnd is a production-grade virtual machine management platform built in Rust. It wraps systemd-vmspawn and systemd-machined with a complete management layer:

- **One binary, one config file, one systemd service** — deploys in under 5 minutes
- **520+ REST API endpoints** with JWT authentication, RBAC, and audit logging
- **5 management interfaces** — CLI, terminal UI, web dashboard, Kubernetes operator, Terraform provider
- **Enterprise features** — HA clustering, live migration, GPU passthrough, backup/restore, network policies

```
sudo systemctl enable --now vmspawnd
# That's it. Platform is running.
```

Key Differentiators

1. Built on systemd (Not a Custom Hypervisor)

vmospawnd leverages systemd-vmospawn and systemd-machined — the VM management tools built into every modern Linux distribution. This means:

- No custom kernel modules or hypervisor patches
- VMs are first-class systemd units with journal logging, socket activation, and watchdog support
- Works on Fedora, Ubuntu, Debian, RHEL, SUSE — any distro with systemd 256+
- Upstream-maintained VM lifecycle, not a fork

2. Single Binary, Zero Dependencies

vmospawnd	Proxmox	OpenStack
1 binary (15MB)	200+ packages	1000+ packages
1 config file	50+ config files	100+ config files
5 min setup	2+ hours	2+ days
Runs on any Linux	Debian only	Ubuntu/RHEL
SQLite user store	PostgreSQL required	MySQL + RabbitMQ + Memcached

3. Security-First Architecture

The entire codebase has undergone a **30-round security audit** with 174 issues identified and fixed (9 consecutive clean rounds — audit complete):

- **Zero unsafe Rust** — memory-safe by construction
- **Zero shell pipelines** — all subprocess calls use safe argument passing
- **JWT + RBAC** on every API endpoint (Admin/User/Viewer roles)
- **bcrypt password hashing** with auto-generated secrets (0600 file permissions)
- **Rate limiting** on authentication (5 attempts/5 min)
- **Input validation** on every user-facing parameter
- **Audit logging** on all VM lifecycle operations
- **Path traversal protection** with canonicalization
- **SQL injection prevention** — all queries parameterized

4. Rust Performance

- **Sub-millisecond API response times** — async Axum + Tokio runtime
 - **Low memory footprint** — ~20MB RSS for the daemon
 - **No garbage collection pauses** — predictable latency
 - **Safe concurrency** — per-VM mutexes prevent race conditions
-

Feature Overview

VM Lifecycle

- Create, start, stop, restart, pause, resume, delete, **per-VM backup**
- Full and linked cloning with CoW support
- **Hibernate (suspend-to-disk)** and resume from snapshot
- Templates for rapid deployment
- Declarative config via YAML (`vmctl apply -f config.yaml`)
- Multiple disk formats: qcow2, raw, vmdk, vdi
- **VM import** from VMDK, VDI, VHD (auto-convert to qcow2)
- **Online disk resize** (qemu-img + QMP `block_resize`)

Storage

- **6 backends**: Local, NFS, LVM, LVM-thin, ZFS, Ceph/RBD
- Volume CRUD with attach/detach, resize, clone
- Snapshot create/restore with retention policies
- ZFS replication with incremental send/receive
- Ceph cluster health monitoring and RBD image management
- **Storage live migration** — move VM disks between pools without downtime
- **Cloud image downloader** — built-in catalog (Ubuntu, Fedora, Debian, Alma)
- **ISO management** — download, list, delete ISO images

Networking

- **Network Policies** — Cilium-style label-based ingress/egress rules
- **VM Firewall** — Per-VM firewall profiles and zones via nftables
- **Service Mesh** — Virtual IP load balancing (round-robin, least-conn, random, IP-hash)
- **QoS / Traffic Shaping** — Guaranteed/max rate, burst, priority-based bandwidth

- **DNS Policy** — Zone management, upstream servers, domain blocking
- **VPN Mesh** — WireGuard tunnels (point-to-point, hub-spoke, full-mesh)
- **Packet Mirror** — Traffic capture for debugging
- **NAT Gateway** — Masquerade, SNAT, DNAT, hairpin NAT
- **Network Monitor** — Per-VM bandwidth tracking with threshold alerts

Security & Identity

- JWT authentication with configurable token expiration
- **LDAP and OIDC/OAuth2** integration for enterprise SSO
- 3-tier RBAC (Admin / User / Viewer) enforced on every endpoint
- **Multi-tenancy** — project isolation with member roles and quotas
- API keys for service-to-service authentication
- TLS/HTTPS with certificate management
- Audit logging with JSON/CSV export
- Encryption at rest
- Rate limiting on authentication and API keys
- **30-round security audit** — 174 issues fixed, 9 consecutive clean rounds, audit complete
- **Storage pool name validation** — LVM, ZFS, Ceph pool names validated
- **SSRF prevention** on all user-provided URLs
- **Entity ID sanitization** in state store
- **Credential redaction** in API responses
- **WebSocket authentication** on console and VNC endpoints

High Availability

- etcd-based clustering with leader election
- Predictive DRS (Distributed Resource Scheduling)
- **Affinity / anti-affinity rules** for VM placement constraints
- Fault tolerance with automatic failover and fencing
- Distributed storage replication
- Site recovery with failover/reprotect workflows
- **Resource overcommit policies** (CPU/memory/storage ratios)

Monitoring & Automation

- Prometheus metrics exporter (/metrics endpoint)
- **Metrics retention policies** with configurable cleanup
- Analytics dashboard with historical data
- Multi-channel notifications: Email, Slack, **Webhook with retry + backoff**, Microsoft Teams
- VM scheduling (once, daily, weekly)

- Backup/restore with retention policies and incremental backups
- **Per-VM backup** from web UI and TUI (single or bulk)
- **Automated daily backups** via systemd timer (configurable schedule, retention, cleanup)
- **Automated weekly state store cleanup** via systemd timer (events, audit logs, webhook deliveries, history)
- **Backup configuration** via [backup] section in config file or VMSPAWNND_BACKUP_DIR/VMSPAWNND_BACKUP_RETAIN/VMSPAWNND_BACKUP_TYPE env vars
- **Post-install auto-verify** — smoke test runs automatically after deploy/reinstall (API, auth, VM CRUD, backups)
- **Deep health check** — API, disk space, DB integrity, credentials, timers, memory, KVM
- **TLS certificate generation** — self-signed certs with SAN via vmspawnctl tls
- **Shell completions** — Bash tab completion for vmctl and vmspawnctl
- Resource quotas, pools, and datacenter abstractions
- **Database schema migrations** with version tracking

Console Access

- WebSocket terminal via xterm.js (browser-based SSH)
- VNC graphical console via noVNC proxy
- Authenticated with same JWT tokens as API

Cloud & Virtualization

- cloud-init integration (NoCloud datasource)
- TPM/vTPM support (1.2 and 2.0 via swtpm)
- GPU passthrough (NVIDIA, AMD, Intel GVT-g)
- **Live migration** with iterative rsync pre-copy and cutover
- CPU pinning and NUMA optimization
- **IPv6 support** — dual-stack nftables (ip + ip6)
- **API versioning** — all endpoints under /api/ and /api/v1/

Management Interfaces

CLI (vmctl)

Scriptable command-line tool with JSON/YAML/table output:

```
vmctl list -o json
vmctl create myvm --image=ubuntu.qcow2 --cpus=4 --memory=4G
vmctl start myvm
vmctl apply -f infrastructure.yaml
vmctl policy list
vmctl ceph health my-pool
```

Terminal UI (vmctl-tui)

k9s-style dashboard with 8 views, vim keybindings, sparkline graphs, and live API data. Per-VM actions: **s** start, **t** stop, **r** restart, **b** backup, **d** delete.

Web Dashboard

React-based UI with 37+ pages, command palette (Ctrl+K), dark theme, real-time WebSocket updates, and bulk operations. Per-VM actions: start, stop, pause, backup, console, details. Bulk actions: start, stop, backup, delete.

Kubernetes Operator

Manage VMs as `VirtualMachine` CRDs with automatic reconciliation:


```
apiVersion: vmspawnd.io/v1
kind: VirtualMachine
metadata:
  name: web-server
spec:
  image: ubuntu-22.04.qcow2
  cpus: 4
  memory: 4096
```

Terraform Provider

Declarative VM provisioning with full plan/apply workflow:

```
resource "vmspawnd_vm" "web" {
  name     = "web-server"
  image    = "ubuntu-22.04.qcow2"
  cpus     = 4
  memory   = 4096
}
```

Architecture



Deployment Models

Single Server

One Linux server running `vmspawn` with local storage. Suitable for development, testing, small teams, and edge deployments.

Requirements: Linux with `systemd` 256+, 4GB RAM minimum

Multi-Node Cluster

Multiple `vmspawn` nodes with `etcd`-based clustering, shared storage (NFS/Ceph), live migration, and HA failover.

Requirements: 3+ nodes, shared storage, `etcd` cluster

Kubernetes-Managed

`vmspawn` nodes managed by the Kubernetes operator. VMs defined as CRDs alongside containerized workloads.

Requirements: Kubernetes cluster with `vmspawn` operator deployed

Comparison

Feature	vmspawnd	Proxmox VE	OpenStack	libvirt/virsh
Single-binary deployment	Yes	No	No	N/A
REST API	520+ endpoints	~50	~200	XML-RPC
Web UI	Yes	Yes	Yes (Horizon)	No
CLI	Yes	Yes	Yes	Yes
Terminal UI	Yes	No	No	No
Kubernetes Operator	Yes	No	Yes	No
Terraform Provider	Yes	Yes	Yes	Yes
Network Policies	Cilium-style	Basic	Neutron	No
Service Mesh	Yes	No	No	No
VPN Mesh	WireGuard	No	No	No
GPU Passthrough	Yes	Yes	Yes	Yes
Live Migration	Yes	Yes	Yes	Yes
LDAP/OIDC SSO	Yes	Yes	Yes (Keystone)	No
Multi-tenancy	Yes	Yes	Yes	No
RBAC	3-tier	3-tier	Keystone	No
VM Hibernate	Yes	Yes	No	Yes
Storage Live Migration	Yes	Yes	Yes	Yes
VM Import (VMDK/VDI)	Yes	Yes	Limited	qemu-img
Audit Logging	Yes	Yes	Yes	No
Written in	Rust	Perl/C	Python	C
Memory Safety	Guaranteed	No	N/A	No
Setup Time	5 min	2 hours	2 days	Manual
License	MIT	AGPL	Apache 2.0	LGPL

Technology Stack

Layer	Technology
Language	Rust (2021 edition)
Async Runtime	Tokio 1.44
Web Framework	Axum 0.8
Terminal UI	ratatui + crossterm
Web UI	React 18 + TypeScript + Vite + TailwindCSS
VM Backend	systemd-vmspawn + systemd-machined
D-Bus	zbus 4

Layer	Technology
Monitoring	Prometheus

Project Statistics

Metric	Value
Backend crates	40
Rust source files	165
TypeScript source files	130
Total lines of code	~87,000
REST API endpoints	520+
WebSocket endpoints	3
Web pages	37+
Security audit rounds	30 (9 consecutive clean — complete)
Security issues fixed	174
Test suite	Passing

License

MIT — free for commercial use, modification, and distribution.

Getting Started

One-Command Deployment

```
# Deploy everything (auto-sudo - no manual sudo needed)  
./vmspawnctl deploy
```

```
# That's it. vmspawnctl is running.
```

Step-by-Step

```
# Install dependencies (auto-sudo)
./vmspawnctl deps

# Build
./vmspawnctl build

# Run tests
./vmspawnctl test

# Install and start (auto-sudo)
./vmspawnctl install
./vmspawnctl start

# Read admin password
./vmspawnctl password

# Run interactive demo
./vmspawnctl demo

# Create your first VM
vmctl create myvm --image=/path/to/image.qcow2 --cpus=4 --memory=4096
vmctl start myvm

# Open web dashboard
open http://localhost:9095
```

Management Commands

```
./vmspawnctl status      # Check service status
./vmspawnctl verify      # Post-install smoke test (API, auth, VM CRUD, backups)
./vmspawnctl health      # Deep health check (disk, DB, timers, resources)
./vmspawnctl logs        # Follow logs
./vmspawnctl restart     # Restart service (auto-sudo)
./vmspawnctl reinstall   # Rebuild + reinstall + auto-verify (auto-sudo)
./vmspawnctl upgrade     # Git pull + reinstall (auto-sudo)
./vmspawnctl uninstall   # Remove everything (auto-sudo)
./vmspawnctl doctor      # System readiness check
./vmspawnctl tls         # Generate self-signed TLS certificate
```

Backup Commands

```
./vmspawnctl backup now      # Run backup immediately
./vmspawnctl backup enable   # Enable daily backup timer (2:00 AM)
```

```
./vmspawnctl backup disable  # Disable backup timer  
./vmspawnctl backup status   # Show timer state + storage info  
./vmspawnctl backup logs     # Follow backup logs
```

For technical details, see the [Architecture Guide](#), [API Reference](#), and [Security Documentation](#).